



ATM PRODUCT LIST SEP 2017

[011 787 6070](tel:0117876070) / atm@mweb.co.za / www.atmsa.info

| <u>No</u> | <u>Picture</u> | <u>Storage Information</u> | <u>Price</u> |
|-----------|--|---|---|
| 1 |  <p>This is the medium size tool wall unit.(above)</p>  | <p><u>Tool wall units powder coated steel</u></p> <p>Each unit comes with hanging hooks for your tools + wall plugs for hanging it on the wall They are all lockable Steel thickness When open they are totally flat so that you can keep them open if you want or lock them closed 3 different sizes available</p> <p><u>SMALL</u></p> <p>Size : 600x600x200mm (closed) 600x1200x100mm(open) (25 single + 5 double hooks included) Body steel thickness 0.8mm Pegboard steel 1mm</p> <p><u>MEDIUM</u></p> <p>Size : 700x700x250mm (closed) 700x1400x125mm(open) (28 single + 7 double hooks included) Body steel thickness 1mm Pegboard steel 1mm</p> <p><u>LARGE</u></p> <p>Size : 800x800x300mm (closed) 800x1600x150mm(open) (30 single + 10 double hooks included) Body steel thickness 1mm Pegboard steel 1mm</p> <p>Extra hooks for sale at R4 single hook and R5 double hook Colours available: Blue, Black , Red , Yellow and Light Grey</p> | <p>We sell at :</p> <p>Small : R2250 Medium : R2780 Large : R3360</p> |

2



570 TOOL CHEST / TOOLBOX

7 Drawer rolling tool box.
 Powder coated
 Ball bearing drawer slides.
 Rubber on the top
 Handle
 All Drawers lockable.
 Wheels 3inch (can be removed if you want)
 Red & Black

R3850

Dimensions : W 570 x D450 x H 900mm
 (With wheels)

Draws x 2 W 460
 D 395
 F 50 (face)
 H 30 (sides of the draw)

Draws x 4 W 460
 D 395
 F 105 (face)
 H 80 (sides of the draw)

Bottom Draw W 460
 D 395
 F 205 (face)
 H 135 (sides of the draw)

Each draw holds up to 15kg x 7 = 105kg

3



800 TOOL CHEST / TOOLBOX

7 Drawer rolling tool box.
 Powder coated
 Ball bearing drawer slides.
 Rubber on the top
 Handle
 All Drawers lockable.
 Wheels 3inch (can be removed if you want)
 Red & Black

R4900



Dimensions : W 800 x D 450 x H 900mm
 (With wheels)

Draws x 2 W 690
 D 395
 F 50 (face)
 H 30 (sides of the draw)

Draws x 4 W 690
 D 395
 F 105 (face)
 H 80 (sides of the draw)

Bottom Draw W 690
 D 395
 F 205 (face)
 H 135 (sides of the draw)

Each draw holds up to 15kg x 7 = 105kg

| | | | |
|---|---|--|--------------------------------------|
| 4 | | <p><u>RUBBER DRAW INSERTS</u></p> <p>Rubber 1.5mm per draw (small toolbox) :</p> <p>Rubber 1.5mm per draw(large toolbox)</p> | <p>R75</p> <p>R100</p> |
| 5 |  <p>A black scissor-style bike lift with a hydraulic foot pump on the right side. The table is black with a textured surface. It has four legs and two heavy-duty wheels at the front. A red bike is mounted on the table.</p> | <p><u>ATM SCISSOR BIKE LIFT</u></p> <p>Holds up to 350kg Hydraulic foot pump Table size 60cm x 200cm Max height 70cm Min height 16cm 6 different height positions Wheel grabber with 7 adjustable wheel size options(wheel grabber can be removed) 6 Tie down hook holes 2 floor anchor holes 2 heavy duty wheels Loading ramp Powder coated black 1 Year guarantee</p> | <p>R7850</p> |
| 6 | <p>Scooter lift 150kg</p>  <p>A red scissor-style scooter lift with a hydraulic foot pump on the left side. The table is red with a textured surface. It has four legs and two heavy-duty wheels at the front. A red scooter is mounted on the table.</p> | <p><u>Bike/Scooter lift Holds up to 150kg (Hydraulic)</u></p> <p>Red only Table size 35cm x 160cm Max height 70cm Min height 16cm 6 different height positions Wheel grabber with 7 adjustable wheel size options (wheel grabber can be removed) 6 Tie down hook holes 2 floor anchor holes 2 heavy duty wheels Loading ramps Powder coated red 1 Year guarantee on table 6 month guarantee on piston</p> | <p>R4850</p> |

350kg OR 500kg (with foot pedals)



ATM BIKE LIFT (New design)

R8950

Pneumatic & Hydraulic
Holds up to 350kg
Hydraulic foot pump
Foot peddles
Table size 60cm x 200cm
Max height 82cm
Min height 16cm
6 different height positions
Wheel grabber with 7 adjustable
wheel size options (wheel
grabber can be removed)
6 Tie down hook holes
2 floor anchor holes
2 heavy duty wheels
Loading ramps
Powder coated red
1 Year guarantee on table
6 month guarantee on piston

ATV LIFT



Motorbike lift holds up to 500kg (Pneumatic & Hydraulic)Red only

R10600

ATV Lift holds up to 350kg (Hydraulic) Red only

R10500

Holds up to 350kg
Hydraulic foot pump
Table size 60cm x 200cm
Side wings for ATV 35cm each
Max height 82cm
Min height 16cm
6 different height positions
Wheel grabber with 7 adjustable
wheel size options (wheel
grabber can be removed)
6 Tie down hook holes
2 floor anchor holes
2 heavy duty wheels
2 Loading ramps
Powder coated red
1 Year guarantee on table
6 month guarantee on piston

8



Front wheel holders/ grabbers



R 850





Powder coated Black 3mm steel holes for floor or trailer. Holes for straps. A strong and sturdy ATM product.

If you are not sure of what you need call us
011 7876070

| No | Picture | Air tools Information | Price |
|----|---|---|---------------------------------|
| 1 |  | <p><u>Compact Impact twin hammer(super light new to the market)</u> Square Drive:1/2" Free speed:9000rpm Max Torque: 420ft-lb Air inlet:1/4" Air hose:3/8" air consumption:5cfm working pressure:90psi Net weight : 1.6kg</p> | <p>We sell for R1150</p> |
| 2 |  | <p><u>Heavy duty screwdriver</u> 5H screw driver Free speed:11000 rpm Max torque:90ft/lbs Air inlet: 1/4" Air consumption: 8.8cfm Net Weight: 0.90kgs</p> | <p>We sell for R1020</p> |
| 3 |  | <p><u>1/2" Heavy duty twin hammer air impact wrench</u> (high torque, light weight) Square Drive:1/2" Max Torque:650ft/lbs Free speed:8000RPM Air Pressure:90psi Air inlet:1/4" Air Hose:3/8" Overall length:170MM Weight:2.1kg</p> | <p>We sell for R2300</p> |
| 4 |  | <p><u>DRILL</u> Free speed: 1800RPM Air consumption: 4cfm Collect Chuck:210mm Air inlet: 1/4" Net weight:1kg Max air pressure: 90psi</p> | <p>We sell for R630</p> |
| 5 |  | <p><u>Cut off tool – Side Cutter</u> Capacity:3" Free speed:20000RPM Air consumption:4cfm Hose Size:3/8" Air inlet: 1/4" Max air pressure:90psi Net weight:0.77kgs</p> | <p>We sell for R270</p> |

| | | | |
|----|---|--|--------------------------------|
| 6 |  | <p><u>Angle Sander ,Polisher,Grinder</u> Free speed:25,000RPM air consumption:2.8CFM Hose size:3/8 Air Inlet:1/4" Air Pressure:90PSI</p> | <p>We sell for R270</p> |
| 7 |  | <p><u>Angle grinder</u> Free speed 10,000RPM air consumption: 4CFM Hose size:3/8 Air Inlet:1/4" Angle : 90deg Net weight :1.8kgs</p> | <p>We sell for R760</p> |
| 8 |  | <p><u>1/4"Mini air die grinder</u> Free speed:25,000RPM air consumption:5CFM Hose size:3/8 Air Inlet:1/4" Air Pressure:90PSI Net weight: 0.44kg</p> | <p>We sell for R210</p> |
| 9 |  | <p><u>1/4"Air die grinder</u> Free speed:22,000RPM air consumption:5CFM Air hose:3/8" Air Inlet:1/4" Max air pressure:90PSI Net weight:0.66kg</p> | <p>We sell for R250</p> |
| 10 |  | <p><u>6"Professional Air Sander</u> (Central Vacuum-Ready Model, Long Dust Connector) Free Speed: 10,000 RPM Air Consumption: 16CFM Pad size: 6 In Orbital die: 5mm Air Inlet: 1/4" Pressure: 90PSI</p> | <p>We sell for R830</p> |

| | | | |
|----|---|--|---------------------------------|
| 11 |  | <p><u>HAMMER ACTION CHISEL SET – 150MM</u> Bpm-4500 Cfm-2.8 Bar-6.3 Mass weight(no tools) 1.3 Chisel shank – 125mm Air hose 3/8 Air inlet size NPT – ¼ Vibration in the handle Db(A) 2.8/s2</p> | <p>We sell for R315</p> |
| 12 |  | <p><u>HAMMER ACTION CHISEL SET – 190MM</u> Bpm-3500 Cfm-2.3 Bar-6.3 Mass weight(no tools) 1.55kg Chisel shank – 175mm Air hose 3/8 Air inlet size NPT – ¼ Vibration in the handle Db(A) 2.8/s2</p> | <p>We sell for R380</p> |
| 13 |  | <p><u>HAMMER ACTION CHISEL SET – 250MM</u> Bpm-2500 Cfm-4 Bar-6.3 Mass weight(no tools) 1.55kg Chisel shank – 175mm Air hose 3/8 Air inlet size NPT – ¼ Vibration in the handle Db(A) 2.8/s2</p> | <p>We sell for R440</p> |
| 14 |  | <p><u>16PCS 1/2" AIR IMPACT WRENCH KIT</u> 1pc-1/2" Twin hammer air impact wrench 10pc- impact sockets: 9,10,11,13,14,17,19,22,24,27mm 1pc-1/2"dr. x 5 extension bar 1pc-hex wrench 1pc-oiler 1pc- oil pot 1pc-blow mold case</p> | <p>We sell for R1200</p> |

| | | | |
|----|---|---|--|
| 15 |  | <p><u>17PC 1/2" AIR IMPACT WRENCH KIT-Rocking dog</u> 1pc-1/2" air impact wrench 10pc- impact sockets: 9,10,11,13,14,17,19,22,24,27mm 1pc-1/2"dr. x 5 extension bar 1pc-hex key wrench 1pc- nipple 1pc-mini oiler 1pc- oil pot 1pc-blow mold case</p> | <p>We sell for R620</p> |
| 16 |  | <p><u>17pc 3/8" Air ratchet wrench kit</u> 1pc-3/8" ratchet wrench 7pc- air sockets 9, 10,11,13,14,17,19mm 1pc-3/8" TO 1/2"* 3" extension bar 1pc-U-joint 3pc bits 1pc-bit holder 1pc-nipple 1pc-blow mold case</p> | <p>We sell for R630</p> |
| 17 |  | <p><u>Green Lasher straps = Silicon strap</u></p> <p>No Hooks, No Scratches! Flexible, patented securing device that is fully adjustable to secure countless objects. Safer than other similar securing straps as they have no hooks to scratch or cause injury. Can be linked together for unlimited length. Durable material will not crack or harden in sun like other bungee cord type products. Can be used at home , at work , on the bike , on the boat , at the workshop , in the garage , camping and lots more Bundle anything , electrical leads , compressor leads , garden hoses. <u>2 in a pack 43cm long each</u></p> | <p>R140</p> <p>5 sets will cost you R120 per set</p> |
| 18 |  | <p><u>Green silicon Bungee cord with steel clip New Clip & Loop System!</u></p> <p>Flexible securing device with a "SAFER" loop end and secure Carabineer Engineered with for safety and a long, durable life (UV stabilized, Oil & Salt resistant. Poly "Raptor" material is stronger than regular, fat strap or triple strength bungee cords Raptor brand design – sleek and eye catching .Can be used at home, at work, on the bike, on the boat at the workshop, in the garage, camping and lots more. <u>2 in a pack – 80cm long each (this includes the clip)</u></p> | <p>R160</p> <p>5 sets will cost you R140 per set</p> |